# Valserrano 33.5" 4 Light Vanity Light Brushed Nickel

45130NI (Brushed Nickel)

| Project Name: |  |
|---------------|--|
| Location:     |  |
| Type:         |  |
| Qty:          |  |
| Comments:     |  |



# Certifications/Qualifications

| Location Rating                                 | Damp                     |
|---|--------------------------|
|   | www.kichler.com/warrantu |
| Dimensions                                      |                          |
| Base Backplate                                  | 8.00 X 4.50              |
| Extension                                       | 6.75"                    |
| Weight  | 5.40 LBS                 |
| Height from center of Wall opening (Spec Sheet) | 8.25"                    |
| Height  | 10.25"                   |
| Width   | 33.50"                   |
|   |                          |

### Mounting/Installation

| Install Glass Up or Down | Yes      |
|--------------------------|----------|
| Interior/Exterior        | Interior |
| Mounting Weight          | 2.60 LBS |

## **Primary Lamping**

| Lamp Included          | Not Included |
|------------------------|--------------|
| Lamp Type              | A19          |
| Light Source           | Incadescent  |
| Max or Nominal Watt    | 75W          |
| # of Bulbs/LED Modules | 4            |
| Max Wattage/Range      | 75W          |
| Socket Type            | Medium       |
| Socket Wire            | 150          |

# **Product/Ordering Information**

| 45130NI        |
|----------------|
| Brushed Nickel |
| Traditional    |
| 783927568326   |
|                |

# **Specifications**

| Diffuser Description | Satin Etched |
|----------------------|--------------|
| Material             | STEEL        |

# **Additional Finishes**



Black



**Brushed Nickel** 

7711 East Pleasant Valley Road Cleveland, Ohio 44131-8010 Toll free: 866.558.5706 or kichler.com

I) Information provided is subject to change without notice.
All values are design or typical values when measured under laboratory conditions.
2) Incandescent Equivalent: The incandescent equivalent as presented is an approximate number and is for reference

