T&S BRASS AND BRONZE WORKS, INC. 2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690		Model No. EC-3103-LF22	
		Item No.	
Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150) • Fax: 864-834-3518 • www.tsbrass.co	om	
ChekPoint"	This Space for Architect/E	ngineer Approval	
	Job NameDate		
ADA Compliant	Model Specified	Quantity	
6 1/8"	Customer/Wholesaler		
	Contractor	Contractor	
	Architect/Engineer		
U	[92mm x 106mm x 51 Water Resistant Contr w/ Internal Flow Contr AC or DC Operated w	mm] rol Module Box (Grey) ol Setting Switches,	
Solid Cast Brass Spout w/ Polish Chrome Plated Finish &		ng reminais on back	
B-0199-28 VR 2.2 GPM Laminar Flow24" [610mm]	4 7/8" [124mm]	<►	
Device Sensor Cable			
Removable	4		
Strainer	4 1/16"	5 1/16"	
	Mounting [103mm]	[129mm]	
	Surface	 _	
4"	0.4/4		
[102mm] - I I I I I I I I I I I I I I I I I I	2 1/4" [57mm]	2 1/4" [57mm]	
/2" NPSM x 1/4" NPSM 8" [457mm] Flexible	Maximum Thickness		
Stainless Steel Hose –			
	[—] 100-240 VAC Adapter w/ 71" [1800mm] Power Cord.		
	(Remove Rubber Plugs on		
	Module and Cable to Connect)		
Temperature Mixing Valve			
w/ Check Valves	(2) 3/8" Compression x 1/2" NF 18" [457mm] Flexible Stainless Steel Supply Hose	PSM	
Rough-In Requirement: (1) Ø 1" [25mm] Center Shank Mounting Hole & (2) 1/2" [13mm] Mounting Stud Holes (on 4" Centers)			
Product Specifications:	Product Complia	nce:	
Chrome Plated Brass Electronic Faucet: 4" Deck Mount Spe Laminar Flow Device, AC/DC Control Module w/ Internal Flo Switches, Temperature Control Mixing Valve w/ Check Valv Stainless Steel Supply Hoses	ow Control Setting NSF 61 - Section	n 9 ead Content)	
rawn: AMG Checked: JRM Approved: JHB	Date: 09/10/18 Scale:	1:6 Sheet: 1 of 2	



T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

EC-3103-LF22


Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

ITEM NO.	SALES NO.	DESCRIPTION
1	015425-45	Vandal Resistant Key
2	B-0199-28	VR 2.2 GPM Laminar Flow Device, 13/16-27 UN Male w/ Key
3	016297-45	Inlet Hose, Faucet, 1/2" NPSM-F x 1/4" NPSM-F
4	016647-45	ChekPoint Electronic Module (Grey)
5	5EF-0002	Plug-In A/C Transformer
6	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM
7	5EF-0006	Mechanical Mixing Valve
8	EC-FILTER	Replacement Filter
9	017195-45	Angled Sensor w/ Cable



A Maximum of (8) ChekPoint Faucets can be Hardwire Connected and Powered by EC-HARDWIRE ChekPoint Hardwire AC Transformer. (Sold Separately)



Label for Flow Control Switch Settings is Located on Inside of Back Cover.

Flow Control Switches are Located Inside Module Housing in Black Box Next to Battery Compartment. *Switches are Set to DEFAULT Position:

- Auto Time Out = 15 Seconds
- Shut Off Delay = 1 Second - Auto Flush = OFF

Remove (4) Screws and Back Cover to Access Switches.

- Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF Product Compliance: Product Specifications: Chrome Plated Brass Electronic Faucet: 4" Deck Mount Spout w/ VR 2.2 GPM ASME A112.18.1 / CSA B125.1 Laminar Flow Device, AC/DC Control Module w/ Internal Flow Control Setting NSF 61 - Section 9 NSF 372 (Low Lead Content) Switches, Temperature Control Mixing Valve w/ Check Valves, 18" Flexible Stainless Steel Supply Hoses ANSI A117.1 (ADA) UL 1951 Drawn: AMG Checked: JRM Approved: JHB Date: 09/10/18 Scale: NTS Sheet: 2 of 2