T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690

Model No.

EC-3105-VF05

Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com

Short Elbow For		This Space for Architect/Engineer A	pproval
155mm	LSO I I I I I I	Job Name	Date
Installations	ChekPoint [™]	Model Specified	Quantity
	L	Customer/Wholesaler	
1 15/16"	5 .	Contractor	
[49mm] A[DA Compliant	Architect/Engineer	
./	ooseneck 99-06-N05	4 1/8" [104mm]	
Vandal	Resistant 0.5 Gerated Spray Dev		1 1/16" [27mm]
4/0" NIDOM v 2/0" NIDOM			15/16" [24mm]
	ast Brass Body Chrome Plated F		Maximum Thickness
	24" [610mm] Sensor Cable	Mounting Surface	2 1/4" [58mm]
Removable	w/ Internal Flo AC or DC Op	6" x 2" Deep mm x 51mm] ant Control Module Box (Grey) by Control Setting Switches, erated w/ (4) AA Batteries. bable Using Terminals on Back	
	─100-240 VAC 71" [1800mm	·	
	Module and C	Cable to Connect)	
	—(2) 3/8" Comp 18" [457mm] Supply Hose	oression x 1/2" NPSM Flexible Stainless Steel	
Temperature Mixing ── Valve w/ Integral Check Valves	Roug (2) 1	gh-In Requirement: " [25mm] Mounting Holes on 4" [10	2mm] Centers
Product Specifications:		Product Compliance:	

Chrome Plated Brass Electronic Faucet: 4" Wall Mount Rigid Gooseneck w/ VR 0.5 GPM Non-Aerated Spray Device, AC/DC Control Module w/ Internal Flow Control Setting Switches, Temperature Control Mixing Valve w/ Integral Check Valves & 18" Hot & Cold Supply Stop Flexible Connector Hoses

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn: AMG Checked: JRM Approved: JHB Date: 09/10/18 Scale: 1:6 Sheet: 1 of 2




T&S BRASS AND BRONZE WORKS, INC.

2 Saddleback Cove / P.O. Box 1088 Travelers Rest, SC 29690 Model No.

EC-3105-VF05


Item No.

Travelers Rest, SC: 800-476-4103 • Simi Valley, CA: 800-423-0150 • Fax: 864-834-3518 • www.tsbrass.com



ITEM NO.	SALES NO.	DESCRIPTION
1	015425-45	Vandal Resistant Key
2	B-0199-06-N05	0.5 GPM VR Spray Device
3	044A	3/8" to Aerator Adapter
4	006575-45	-015 O-Ring
5	015345-45	Low Profile Elbow, 3/8 NPSM
6	017195-45	Angled Sensor with Cable
7	016325-45	Inlet Hose, Faucet, 1/2" NPSM-F x 3/8" NPSM-F
8	016647-45	ChekPoint Control Module (Grey)
9	5EF-0002	A/C Transformer
10	5EF-0005	Supply Hose, 9/16-24 Female x 1/2" NPSM
11	5EF-0006	Mechanical Mixing Valve
12	EC-FILTER	Replacement Filter

A Maximum of (8) ChekPoint Faucets can be Hardwire Connected and Powered by EC-HARDWIRE ChekPoint Hardwire AC Transformer. (Sold Separately)



-Label for Flow Control Switch Settings is Located on Inside of Back Cover.

Flow Control Switches are Located Inside Module Housing in Black Box Next to Battery Compartment.

- *Switches are Set to DEFAULT Position:
- Auto Time Out = 15 Seconds
- Shut Off Delay = 1 Second
- Auto Flush = ÓFF

Remove (4) Screws and Back Cover to Access Switches.

*Available Water Flow Control Selections:

- Auto Time Out: 15 sec, 30 sec, 45 sec, 60 sec, 3 min, 20 min
- Shut Off Delay: 1 sec, 10 sec, 15 sec, 30 sec
- Auto Flush (30 Seconds After Every 12 Inactive Hours): ON or OFF

Product Specifications:

Chrome Plated Brass Electronic Faucet: 4" Wall Mount Rigid Gooseneck w/ VR 0.5 GPM Non-Aerated Spray Device, AC/DC Control Module w/ Internal Flow Control Setting Switches, Temperature Control Mixing Valve w/ Integral Check Valves & 18" Hot & Cold Supply Stop Flexible Connector Hoses

Product Compliance:

ASME A112.18.1 / CSA B125.1 NSF 61 - Section 9 NSF 372 (Low Lead Content) ANSI A117.1 (ADA) UL 1951

Drawn: AMG Checked: JRM Approved: JHB Date: 09/10/18 Scale: NTS Sheet: 2 of 2

9

10